

Laboratory	Pretesting		16473		96150	
Sample	S02721 - Item 1		3929		A541288	
System	GlobalFiler Express		RapidHit 200		PowerPlex 21	
D3S1358	15	17	15	17	15	17
vWA	17	19	17	19	17	19
D16S539	11	12	11	12	11	12
CSF1PO	10		10	10	10	10
TPOX	9	12	9	12	9	12
Yindel			-	-		
AMEL	X		X	X	X	X
D8S1179	10	14	10	14	10	14
D21S11	29		29	29	29	29
D18S51	16		16	16	16	16
DYS391			-	-		
D2S441	10	11	10	11		
D19S433	13	14.2	13	14.2	13	14.2
TH01	7	9.3	7	9.3	7	9.3
FGA	21	24	21	24	21	24
D22S1045	15	17	15	17		
D5S818	11		11	11	11	11
D13S317	11	12	11	12	11	12
D7S820	10	12	10	12	10	12
SE33	27.2		27.2	27.2		
D10S1248	14	16	14	16		
D1S1656	14	17.3	14	17.3	14	17.3
D12S391	18	20	18	20	18	20
D2S1338	17	22	17	22	17	22
D6S1043					11	14
Penta E					12	13
Penta D					9	13



Page 2: 16473 (cont.)						96150						Pathology Laboratory	
3934 (Stain 9)		3934 (Stain 10)		3934 (Stain 2)		A541292		A541852 (StnD)		A541853 (StnE)		Sample 3	
RapidHit 200		RapidHit 200		RapidHit 200		PowerPlex 21		PowerPlex 21		PowerPlex21		Identifiler	
17	20	17	20	17	20	17	20	17	20	17	20	17	20.1
15	17	15	17	15	17	15	17	15	17	15	17		
9	13	9	13	9	13	9	13	9	13	9	13		
9	10	9	10	9	10	9	10	9	10	9	10		
8	12	8	12	8	12	8	12	8	12	8	12		
2	-	2	-	2	-								
X	Y	X	Y	X	Y	X	Y	X	Y	X	Y		
8	12	8	12	8	12	8	12	8	12	8	12		
31.2	33.2	31.2	33.2	31.2	33.2	31.2	33.2	31.2	33.2	31.2	33.2		
12	15	12	15	12	15	12	15	12	15	12	15		
10	-	10	-	10	-								
10	11	10	11	10	11								
13	14	13	14	13	14	13	14	13	14	13	14		
6	7	6	7	6	7	6	7	6	7	6	7		
23	23	23	23	23	23	23	23	23	23	23	23		
15	15	15	15	15	15								
10	11	10	11	10	11	10	11	10	11	10	11		
11	12	11	12	11	12	11	12	11	12	11	12		
10	11	10	11	10	11	10	11	10	11	10	11		
27.2	29.2	27.2	29.2	27.2	29.2								
13	17	13	17	13	17								
15	17.3	15	17.3	15	17.3	15	17.3	15	17.3	15	17.3		
22	22	22	22	22	22	22	22	22	22	22	22		
17	24	17	24	17	24	17	24	17	24	17	24		
						14	15	14	15	14	15		
						10	13	10	13	10	13		
						10	12	10	12	10	12		

Laboratory	Pretesting		16473						96150			
Sample	S02723 - Item 3		3931		3934 (Stain 1)				A541293		A541849 (StnB)	
System	GlobalFiler Express		RapidHit 200		Rapid Hit 200		GA3130		PowerPlex 21		PowerPlex21	
D3S1358	17	18	17	18	17	18	17	18	17	18	17	18
vWA	16	18	16	18	16	18	16	18	16	18	16	18
D16S539	12		12	12	12	12	12	12	12	12	12	12
CSF1PO	11		11	11	11	11	11	11	11	11	11	11
TPOX	8		8	8	8	8	8	8	8	8	8	8
Yindel	2		2	-	2	-						
AMEL	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
D8S1179	15	16	15	16	15	16	15	16	15	16	15	16
D21S11	28	32	28	32	28	32	28	32	28	32	28	32
D18S51	12	15	12	15	12	15	12	15	12	15	12	15
DYS391	11		11	-	11	-						
D2S441	11		11	11	11	11						
D19S433	10	14.2	10	14.2	10	14.2	10	14.2	10	14.2	10	14.2
TH01	6	9.3	6	9.3	6	9.3	6	9.3	6	9.3	6	9.3
FGA	20	24	20	24	20	24	20	24	20	24	20	24
D22S1045	11	15	11	15	11	15						
D5S818	13	14	13	14	13	14	13	14	13	14	13	14
D13S317	8	12	8	12	8	12	8	12	8	12	8	12
D7S820	8	12	8	12	8	12	8	12	8	12	8	12
SE33	26.2	32.2	26.2	32.2	26.2	32.2						
D10S1248	13	14	13	14	13	14						
D1S1656	11	13	11	13	11	13			11	13	11	13
D12S391	16	17	16	17	16	17			16	17	16	17
D2S1338	18	23	18	23	18	23	18	23	18	23	18	23
D6S1043									11	12	11	12
Penta E									7	13	7	13
Penta D									10	10	10	10



Page 2: 16473 (cont.)		96150					
3934 (Stain 4)		A541294		A541848 (StnA)		A541850 (StnC)	
RapidHit 200		PowerPlex 21		PowerPlex21		PowerPlex21	
14	16	14	16	14	16	14	16
14	16	14	16	14	16	14	16
10	13	10	13	10	13	10	13
10	12	10	12	10	12	10	12
9	9	9	9	9	9	9	9
2	-						
X	Y	X	Y	X	Y	X	Y
13	13	13	13	13	13	13	13
28	30	28	30	28	30	28	30
13	17	13	17	13	17	13	17
11	-						
11	13						
14	14	14	14	14	14	14	14
6	6	6	6	6	6	6	6
21	22	21	22	21	22	21	22
11	15						
11	12	11	12	11	12	11	12
8	12	8	12	8	12	8	12
10	10	10	10	10	10	10	10
20	27.2						
13	15						
12	17	12	17	12	17	12	17
19.3	20	19.3	20	19.3	20	19.3	20
22	25	22	25	22	25	22	25
		12	12	12	12	12	12
		10	12	10	12	10	12
		12	13	12	13	12	13

Laboratory	Pretesting		16473		96150	
Sample	S02725 - Item 5		3933		A541295	
System	GlobalFiler Express		RapidHit 200		PowerPlex 21	
D3S1358	15		15	15	15	15
vWA	16	18	16	18	16	18
D16S539	12	14	12	14	12	14
CSF1PO	12		12	12	12	12
TPOX	8	11	8	11	8	11
Yindel	2		2	-		
AMEL	X	Y	X	Y	X	Y
D8S1179	12	13	12	13	12	13
D21S11	31.2	33.2	31.2	33.2	31.2	33.2
D18S51	14		14	14	14	14
DYS391	10		10	-		
D2S441	10	11	10	11		
D19S433	12	13	12	13	12	13
TH01	9.3		9.3	9.3	9.3	9.3
FGA	23	24	23	24	23	24
D22S1045	16		16	16		
D5S818	11	12	11	12	11	12
D13S317	11	12	11	12	11	12
D7S820	10		10	10	10	10
SE33	15	32.2	15	15		
D10S1248	13	14	13	14		
D1S1656	12	17.3	12	17.3	12	17.3
D12S391	17.3	19.3	17.3	19.3	17.3	19.3
D2S1338	17	24	17	24	17	24
D6S1043					11	11
Penta E					10	12
Penta D					9	12

Laboratory	Pretesting		Pretesting		16473							
Sample	S02724 - Item 4		S02722 - Item 2		3934 (Stain 3)							
System	GlobalFiler Express		GlobalFiler Express		RapidHit 200				GA 3130			
D3S1358	14	16	17	20	14	16	17	20	14	16	17	20
vWA	14	16	15	17	14	15	16	17	14	15	16	17
D16S539	10	13	9	13	9	10	13		9	10	13	
CSF1PO	10	12	9	10	9	10	12		9	10	12	
TPOX	9		8	12	8	9	12		8	9	12	
Yindel	2		2		2							
AMEL	X	Y	X	Y	X	Y			X	Y		
D8S1179	13		8	12	8	12	13		8	12	13	
D21S11	28	30	31.2	33.2	28	30	31.2	33.2	28	30	31.2	33.2
D18S51	13	17	12	15	12	13	15	17	12	13	15	17
DYS391	11		10		10	11						
D2S441	11	13	10	11	10	11	13					
D19S433	14		13	14	13	14			13	14		
TH01	6		6	7	6	7			6	7		
FGA	21	22	23		21	22	23		21	22	23	
D22S1045	11	15	15		11	15						
D5S818	11	12	10	11	10	11	12		10	11	12	
D13S317	8	12	11	12	8	11	12		8	11	12	
D7S820	10		10	11	10	11			10	11		
SE33	20	27.2	27.2	29.2	20	27.2	29.2					
D10S1248	13	15	13	17	13	15	17					
D1S1656	12	17	15	17.3	12	15	17	17.3				
D12S391	19.3	20	22		19.3	20	22					
D2S1338	22	25	17	24	17	22	24	25	17	22	24	25